

# Package ‘mccr’

July 22, 2025

**Type** Package

**Title** The Matthews Correlation Coefficient

**Version** 0.4.4

**Author** Hitoshi Iuchi

**Maintainer** Hitoshi Iuchi <hiuchi@sfc.keio.ac.jp>

**Description** The Matthews correlation coefficient (MCC) score is calculated (Matthews BW (1975) <DOI:10.1016/0005-2795(75)90109-9>).

**License** MIT + file LICENSE

**Suggests** testthat

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.0.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2017-06-15 15:14:22 UTC

## Contents

mccr . . . . .	1
<b>Index</b>	<b>3</b>

---

mccr	<i>Calculate the Matthews correlation coefficient (MCC) score</i>
------	---

---

## Description

Calculate the Matthews correlation coefficient (MCC) score

## Usage

```
mccr(act, pred)
```

**Arguments**

act                    actual values (vector), 1 (positive), or 0 (negative)  
pred                    predict values (vector), 1 (positive), or 0 (negative)

**Value**

MCC score

**Examples**

```
set.seed(18)
act <- abs(round(rnorm(100))) %% 2
pred <- abs(round(rnorm(100))) %% 2
mccr(act, pred)
```

# Index

mccr, 1