

# Package ‘GEOexplorer’

April 22, 2025

**Title** GEOexplorer: a webserver for gene expression analysis and visualisation

**Date** 2023/10/31

**Version** 1.15.0

**Description** GEOexplorer is a webserver and R/Bioconductor package and web application that enables users to perform gene expression analysis. The development of GEOexplorer was made possible because of the excellent code provided by GEO2R (<https://www.ncbi.nlm.nih.gov/geo/geo2r/>).

**License** GPL-3

**Encoding** UTF-8

**LazyData** false

**Roxygen** list(markdown = TRUE)

**URL** <https://github.com/guypwhunt/GEOexplorer/>

**BugReports** <https://github.com/guypwhunt/GEOexplorer/issues>

**RoxygenNote** 7.2.3

**biocViews** Software, GeneExpression, mRNAMicroarray, DifferentialExpression, Microarray, MicroRNAArray, Transcriptomics, RNASeq

**Depends** shiny, limma, Biobase, plotly, enrichR, R (>= 4.1.0)

**Imports** DT, XML, httr, sva, xfun, edgeR, htmltools, factoextra, heatmaply, pheatmap, scales, shinyHeatmaply, shinybusy, ggplot2, stringr, umap, GEOquery, impute, grDevices, stats, graphics, markdown, knitr, utils, xml2, R.utils, readxl, shinycssloaders, car

**Suggests** rmarkdown, usethis, testthat (>= 3.0.0)

**VignetteBuilder** knitr

**Config/testthat/edition** 3

**git\_url** <https://git.bioconductor.org/packages/GEOexplorer>

**git\_branch** devel

**git\_last\_commit** 5350b90

**git\_last\_commit\_date** 2025-04-15

**Repository** Bioconductor 3.22

**Date/Publication** 2025-04-22

**Author** Guy Hunt [aut, cre] (ORCID: <<https://orcid.org/0000-0002-5217-2678>>),  
 Rafael Henkin [ctb, ths] (ORCID:  
 <<https://orcid.org/0000-0002-5511-5230>>),  
 Alfredo Iacoangeli [ctb, ths] (ORCID:  
 <<https://orcid.org/0000-0002-5280-5017>>),  
 Fabrizio Smeraldi [ctb, ths] (ORCID:  
 <<https://orcid.org/0000-0002-0057-8940>>),  
 Michael Barnes [ctb, ths] (ORCID:  
 <<https://orcid.org/0000-0001-9097-7381>>)

**Maintainer** Guy Hunt <[guy.hunt@kcl.ac.uk](mailto:guy.hunt@kcl.ac.uk)>

## Contents

|                   |          |
|-------------------|----------|
| loadApp . . . . . | 2        |
| <b>Index</b>      | <b>3</b> |

---

|         |                                                     |
|---------|-----------------------------------------------------|
| loadApp | <i>A Function to Load the GEOexplorer Shiny App</i> |
|---------|-----------------------------------------------------|

---

## Description

This function loads the GEOexplorer Shiny App. The GEOexplorer Shiny App extends GEO2R's functionalities by enabling a richer set of analysis and graphics to be performed/generated from the gene expression data.

## Usage

```
loadApp()
```

## Value

Large Shiny App

## Author(s)

Guy Hunt

## Examples

```
app <- loadApp()
```

# Index

\* **GEO**

loadApp, [2](#)

loadApp, [2](#)